No.



9000006

TO ALL TO WHOM THESE: PRESENTS SHAML COME::

BEKATO plant Genetics

Conteress, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, R IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'CX469c'

In Lestimony Withereof, I have hereunto set my hand and caused the seal of the Plaut Tariety Protection Office to be affixed at the City of Washington, D.C.

31st day of December the year of our Lord one thousand nine hundred and ninety-one.

Plant Variety Protection Office

Hward Mxdigin

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

MRC	APPROV	ED:	OMB	NO.	0581	-00

1_	
7	Application is required in order to determine
li	f a plant variety protection certificate is to
ŀ	be issued (7 U.S.C. 2421). Information is
ŀ	neld confidential until certificate is issued

·	ETY PROTEC	CTION C	ERTIFICATE	held	ued (7 U.S.C. 2421). information confidential until certificate is issu S.C. 2426).	is ed	
1. NAME OF APPLICANTS! DEKALB-PFIZER GENETICS	2. TEMPO	RARY DESIGNATION	1	3. VARIETY NAME CX469c			
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code)	5, PHONE	(Include area code)		FOR OFFICIAL USE ONLY		
3100 Sycamore Road DeKalb, IL 60115			6-7333	PVPC	900006		
6. GENUS AND SPECIES NAME 7. FAMILY NAM Glycine Max Leguminos					DAJE 0ct. 5,1989	_	
8. KIND NAME Soybean		DATE OF Summer	DETERMINATION 1987	RECEIVED	\$ 1800 00, 350 00 DATE LEST, 27,1989; Oct. 3	- - -	
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) General Partnership	N," GIVE FORM	OF ORGA	NIZATION (Corporation	FEES RE	\$250,000 DATE PLC. 91991	/987 - -	
11. IF INCORPORATED, GIVE STATE OF INCORPORT	DRATION			12. 0	DATE OF INCORPORATION		
Telephone 815/756-7333 14. CHECK APPROPRIATE BOX FOR EACH ATTA a. X Exhibit A, Origin and Breeding History of b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Varie d. X Exhibit D, Additional Description of Varie e. X Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro-	f the Variety (See ty (Request form) iety. licant's Ownership D OF THIS VARII	TED Section 52 from Plant	of the Plant Variety Pr	ce.)	Y AS A CLASS OF CERTIFIED	No.	
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS?		17. [WHICH	CLASSES OF PRODUCTION		
Yes XX No			Foundation		Registered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE					Yes (If "Yes," give dat	:e)	
19, HAS THE VARIETY BEEN RELEASED, OFFE United States - February 8, 1		OR MAR	CETED IN THE U.S. OF	R OTH	ER COUNTRIES ? Yes (If "Yes," give nai of countries and dates	nes	
20. The applicant(s) declare(s) that a viable samplenished upon request in accordance with s	uch regulations a	is may be	applicable.			•	
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ection 41, and is	entitled	to protection under th	e prov	visions of Section 42 of the Plan	t	
Applicant(s) is (are) informed that false repr	esentation hereis	n can jeop	ardize protection and	· · · · · · · · · · · · · · · · · · ·			
SIGNATURE OF APPLICANT Anne B. M. 10				C	8/24/89		
SIGNATURE OF APPLICANT					DATE		

FORM LS-470 (3-86)

SIGNATURE OF APPLICANT

EXHIBIT A

Origin and Breeding History of CX469c

CX469c is an F3 plant selection from the cross Asgrow A5474 x Asgrow A3127 made at the Terre Haute, IN, research station in 1982. Details of the breeding history and seed multiplication are as follows.

Summer 1982 Cross Asgrow A5474 x Asgrow A3127 was made.

Winter 1982-83 Cross was coded DF51084 and F1 seed planted in Kihei, HI, range 1, row 78. F2 seed was planted in Kihei plot 78, rows 1-7. A single seed from each F2 plant was harvested and the F3 seed was bulked.

Summer 1983 The F3 population was grown in Terre Haute, IN, range 846, row 1 through range 847, row 12. 122 single plant selections were made.

Summer 1984 122 F4 rows were grown in Terre Haute, IN, range 95, row 40 through range 99, row 11. Selection DF51084-M-52 (range 97, row 15) was selected for uniformity and proper maturity.

Summer 1985 Selection DF51084-M-52 was given systems code SY51144 and F5 seed was tested in a 4 replication, 1 location test on Soybean Cyst Nematode infested soil at Prairieton, IN. Was found to be resistant to Race 3 SCN.

Summer 1986 SY51144 was tested in 6 tests conducted at Prairieton, IN, Richland City, IN, Owensboro, KY, Casey, IL, Crossville, IL, and Barnhill, IL.

150 pounds of source seed was produced at Terre Haute, IN.

Summer 1987 SY51144 was tested in 6 tests conducted at Prairieton, IN, Richland City, IN, Prairie Creek, IN, Evansville, IN, Mt. Vernon, IN, and Casey, IL.

5500 pounds of breeder seed was produced at Illiopolis, IL.

Summer 1988 SY51144 was renamed EX847 and tested in 30 tests conducted at Prairieton, IN, Richland City, IN, Prairie Creek, IN, Evansville, IN, Mt. Vernon, IN, Palestine, IL, and Vermillion, IL.

EX847 was also tested in 27 "FACT" plots across the Midwest.

80,450 pounds of foundation seed was produced at Mason City, IL.

Spring 1989 EX847 was released as CX469c.

EXHIBIT A

Statement of Uniformity and Stability

CX469c was judged to be uniform for breeding use and testing after five generations of selfing. CX458 has been reproduced and judged uniform and stable for an additional three generations.

Statement of Variants

CX469c shows no variation other than what would be normally expected due to environment.

9000006

EXHIBIT B

Novelty Statement

'CX469c' most closely resembles Asgrow 'A4595'; however, 'CX469c' has purple color flowers whereas Asgrow 'A4595' has white color flowers. In addition, 'CX469c' is resistant to Race 3 Soybean Cyst Nematode whereas Asgrow 'A4595' is susceptible to the pest.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	<u> </u>
DEKALB PFIZER GENETICS	· .	CX469c	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFI	CIAL USE ONLY
3100 SYCAMORE ROAD		PVPO NUMBER	
DEKALB, IL 60115		900	0006
Choose the appropriate response which characterizes the varies in your answer is fewer than the number of boxes provided, provided that the considered fundamental to an adequate when information is available. 1. SEED SHAPE:	place a zero in the first box w	hen number is 9 or le	ss (e.g., 0 9).
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (I 4 = Elongate Flattened (I		
2. SEED COAT COLOR: (Mature Seed)	:		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other /S	Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		•	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 6 Grams per 100 seeds			
5, HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blac	k 6 = Slack	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:	,		
1 = Green only ('Evans'; 'Davis') 2 = Green with b 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	oronze band below cotyledons ('Wooker Hampton 266A')	Voodworth'; 'Tracy')	
O. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

Stem Canker (Diaporthe phaseolorum var. caulivora)

19. DISEASE REACTIO	ON: (Enter 0 = No ted; 1 = Susceptible; 2 =	Resistant) (Continued)	0000	0.0.4
FUNGAL DISEA	SES: (Continued)		9000	006
★ 1 Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>			
O Purple Seed	d Stain (Cercospora kikuchii)			
0 Rhizoctoni	a Root Rot (Rhizoctonia solani)			
Phytophtho	ora Rot (Phytophthora megasperma var. sojae)			<i>:</i> .
★ 1 Race 1	0 Race 2 0 Race 3 0	Race 4 0 Race 5	0 Race 6 0	Race 7
0 Race 8	0 Race 9 Other (Specify)			
VIRAL DISEASE	s:			
O Bud Blight	(Tobacco Ringspot Virus)			
0 Yellow Mos	aic (Bean Yellow Mosaic Virus)			
★ 0 Cowpea Mo	saic (Cowpea Chlorotic Virus)	· · · · · · · · · · · · · · · · · · ·		-
O Pod Mottle	(Bean Pod Mottle Virus)			•
★ 1 Seed Mottle	(Soybean Mosaic Virus)			
NEMATODE DISE	ASES:			
Soybean Cy:	st Nematode (Heterodera glycines)			
★ 0 Race 1	0 Race 2 2 Race 3 0	Race 4 0 Other (5	Specify)	
0 Lance Nema	tode (Hoplolaimus Colombus)			
★ 0 Southern Ro	ot Knot Nematode (Meloidogyne incognita)			
★ 0 Northern Ro	ot Knot Nematode (Meloidogyne Hapia)	•		
	Knot Nematode (Meloidogyne arenaria)			
	matode (Rotylenchulus reniformis)		• .	
<u></u>				
O OTHER DIS	EASE NOT ON FORM (Specify):			
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	tible; 2 = Resistant)		
★ 0 Iron Chlorosi	s on Calcareous Soil			
Other (Specif	fy)			•
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	eistane).		
	Beetle (Epilachna varivestis)	Sistericy	. '	
	Hopper (Empoasca fabae)			
	y)			
	ARIETY MOST CLOSELY RESEMBLES THAT	CUBMITTED		·
CHARACTER	NAME OF VARIETY	CHARACTER		
Plant Shape	ASGROW A4595	Seed Coat Luster	NAME OF VARIE ASGROW A4595	TY
Leaf Shape	ASGROW A5474	Seed Coat Luster	ASGROW A4393	
Leaf Color	ASGROW A5474	Seed Shape	ASGROW A5474	
Leaf Size	ASGROW A5474	Seedling Pigmentation	ASGROW A3127	
		•		

23. GIVE DATA FOR SUBMITTED AND			AR STANDARD VARIETY: Paired Comparison						
VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	146	1.5	114					16.0	3
ASGROW A4 Name of Similar Variety	595 145	1.8	112			A	•	16.5	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



30 303 DU 3 3

EXHIBIT E

Statement of Ownership

Applicant is the owner of CX469c.

CX469c was developed by a breeder employed by the applicant.